Stix Early Childhood Center

647 Tower Grove Ave. St. Louis, M0 63110 Phone: 533-0874 Fax: 244-1909



Dr. Archer Assistant Principal

Too Sick For School

Temperature of 100 degrees or greater- All children must be fever free for 24 hours without the use of fever reducing medication before returning to school.

Vomiting- Child may return when vomiting has stopped and able to eat and drink.

Diarrhea- Child should remain home until he/she is able to eat, drink, and diarrhea has stopped.

A **cough** that keeps a child awake at night or worsens with increased activity, the child should remain home.

A **rash** with fever, behavioral changes, covers most of the body, or is weeping fluid that cannot be covered should remain at home until he/she is seen by a physician. A physician's note will be required before returning to school.

Pink eye or conjunctivitis with excessive drainage, pain, itching, or swelling. Child should remain at home and may return after he/she is seen by a physician or signs/symptoms are gone.

Chicken Pox, **Impetigo**, **Head Lice**, and **Strep Throat** are other reasons a child should remain home. Please contact the school nurse for further information on when a child can return to school.

Notice

A child should remain at home if an illness prevents the child from participating comfortably in activities, results in a need of care that is greater than staff members can provide without compromising the health and safety of other children, and if there is a risk of spread of harmful disease to others. If a student becomes ill at school, every attempt will be made to reach the parents or guardians. If we are unable to contact the parent, the names on emergency contact form will be called next.



Stix Early Childhood Center "Superheroes For CharaCter!"